

FORM PTO-1390 (REV. 9-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 396.40960X00 filed December 31, 2001
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 10/019408
INTERNATIONAL APPLICATION NO. PCT/JP00/04397	INTERNATIONAL FILING DATE July 3, 2000	PRIORITY DATE CLAIMED July 2, 1999	
TITLE OF INVENTION TOOTH BLEACHING COMPOSITIONS AND METHODS FOR BLEACHING DISCOLORED TOOTH			
APPLICANT(S) FOR DO/EO/US ISHIBASHI, TAKURO HIGASHIZUMI, EMI SOTOAKA, RYUJI ISHIHARA, FUKUSABURO KAKUDA, MINORU OGASAWARA, MASUMI ISHIBASHI, KOUZO			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))</p> <p>a. <input type="checkbox"/> is transmitted hereto (required only if not communicated by the International Bureau).</p> <p>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office(RO/US)</p> <p>6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <p>a. <input checked="" type="checkbox"/> is attached hereto.</p> <p>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</p> <p>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))</p> <p>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input type="checkbox"/> have been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</p> <p>d. <input type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>Items 11 to 20 below concern document(s) or information included:</p> <p>11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input checked="" type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.</p> <p>18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</p> <p>20. <input checked="" type="checkbox"/> Other items or information: PCT Request Form; International Publication No. WO 01/01943 (cover sheet); International Preliminary Examination Report; Credit Card Payment Form</p>			

Transmittal Letter

FORM PTO-1390 (REV 11-2000) page 2 of 2

396.40960X00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): ISHIBASHI, et al.

Filed: December 28, 2001

For: TOOTH BLEACHING COMPOSITIONS AND METHODS
FOR BLEACHING DISCOLORED TOOTHPRELIMINARY AMENDMENTAssistant Commissioner for Patents
Washington, D.C. 20231

December 28, 2001

Sir:

Please amend the above-identified application, prior to calculation of the filing fee, as follows:

IN THE CLAIMS

Please amend the claims presently in the application as follows:

3. (Amended) The tooth bleaching composition according to claim 1, wherein the chemical compound generating hydrogen peroxide in an aqueous solution is selected from the group consisting of hydrogen peroxide, perborate, percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide and urea peroxide.

5. (Amended) The tooth bleaching composition according to claim 1,

wherein the thickening agent is selected from the group consisting of a layer-structure clay mineral, phosphoric acid and phosphate.

6. (Amended) The tooth bleaching composition according to claim 1, wherein the thickening agent is an inorganic clay mineral selected from the group consisting of saponite, montmorillonite, stevensite, hectorite, smectite, nacrite and sepiolite.

8. (Amended) The tooth bleaching composition according to claim 1, wherein the content of the chemical compound generating hydrogen peroxide in an aqueous solution is 35% by weight or less.

9. (Amended) A method for bleaching a discolored tooth comprising applying the tooth bleaching composition according to claim 1 onto the surface of a discolored tooth and irradiating the applied surface with light.

Please add the following new claims to the application:

--11. The tooth bleaching composition according to claim 2, wherein the chemical compound generating hydrogen peroxide in an aqueous solution is selected from the group consisting of hydrogen peroxide, perborate,

percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide and urea peroxide.

12. The tooth bleaching composition according to claim 11, wherein the chemical compound generating hydrogen peroxide in an aqueous solution is hydrogen peroxide.

13. The tooth bleaching composition according to claim 12, wherein the thickening agent is selected from the group consisting of a layer-structure clay mineral, phosphoric acid and phosphate.

14. The tooth bleaching composition according to claim 12, wherein the thickening agent is an inorganic clay mineral selected from the group consisting of saponite, montmorillonite, stevensite, hectorite, smectite, nacrite and sepiolite.

15. The tooth bleaching composition according to claim 13, wherein the phosphate is tetra-sodium pyrophosphate.

16. The tooth bleaching composition according to claim 15, wherein the content of the chemical compound generating hydrogen peroxide in an aqueous

solution is 35% by weight or less.

17. A method for bleaching a discolored tooth comprising applying the tooth bleaching composition according to claim 16 onto the surface of a discolored tooth and irradiating the applied surface with light.

18. The method according to claim 17, wherein the wavelength of the irradiating light is 300 nm or longer.

19. The tooth bleaching composition according to claim 14, wherein the content of the chemical compound generating hydrogen peroxide in an aqueous solution is 35% by weight or less.

20. A method for bleaching a discolored tooth comprising applying the tooth bleaching composition according to claim 19 onto the surface of a discolored tooth and irradiating the applied surface with light.--

REMARKS

Applicants have amended their claims to delete multiple dependency, including improper multiple dependency, prior to calculation of the filing fee. The amendments herein also present the claims in better form for examination, correcting typographical and grammatical errors.

In light of deletion of multiple dependency, claims 11-20 have been added to the application, to provide claims of different scope than in claims 1-10 as presently amended. Specifically, claims 11-20 respectively expressly recite subject matter expressly recited in claims 3-10, 8 and 9, but are all ultimately dependent on claim 2 (note that in presently amended claim 3 the multiple dependency on claim 2 has been deleted).

Entry of the present amendments, and examination of the above-identified application on the merits in due course, are respectfully requested.


Attached hereto is a marked-up version of the changes made to the claims by the current Amendment. This marked-up version is on the attached pages, the first page of which is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE".

To the extent necessary, Applicants petition for an extension of time under 37 CFR 1.136. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to the Deposit Account No. 01-2135 (Case No. 396.40960X00) and please credit any excess fees to such

Deposit Account.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

A handwritten signature in black ink, appearing to read "William I. Solomon", written over the printed name.

William I. Solomon

Registration No. 28,565

1300 North Seventeenth Street

Suite 1800

Arlington, VA 22209

Tel.: 703-312-6600

Fax.: 703-312-6666

WIS/slk

1001448-12301
T09221 "B0715T001

VERSION WITH MARKINGS TO SHOW CHANGES MADE
IN THE CLAIMS

Please amend the claims presently in the application as follows:

3. (Amended) The tooth bleaching composition according to claim 1 [or 2], wherein the chemical compound generating hydrogen peroxide in [a] an aqueous solution is selected from the group consisting of hydrogen peroxide, perborate, percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide and urea peroxide.

5. (Amended) The tooth bleaching composition according to [any one of claims] claim 1 [to 4], wherein the thickening agent is selected from the group consisting of [the] a layer-structure clay mineral, phosphoric acid and phosphate.

6. (Amended) The tooth bleaching composition according to [any one of claims] claim 1 [to 4], wherein the thickening agent is an inorganic clay mineral selected from the group [consisted] consisting of saponite, montmorillonite, stevensite, hectorite, smectite, nacrite and sepiolite.

8. (Amended) The tooth bleaching composition according to [any one of claims] claim 1 [to 7], wherein the content of the chemical compound generating hydrogen peroxide in an aqueous solution is 35% by weight or less.

9. (Amended) A method for bleaching a discolored tooth comprising applying the tooth bleaching [compound described in any one of claims] composition according to claim 1 [to 8] onto the surface of a discolored tooth and irradiating the applied surface [area] with light.

10019403 123811

DESCRIPTION

TOOTH BLEACHING COMPOSITIONS AND METHODS FOR BLEACHING DISCOLORED TOOTH

TECHNICAL FIELD

The present invention relates to methods for bleaching and removing colored sediment on teeth by photocatalytic action, and tooth bleaching compositions for the methods. More particularly, the present invention relates to methods for bleaching the discolored teeth by applying the bleaching composition, comprising certain compounds having photocatalytic activity, onto the discolored teeth and then irradiating the applied area with light, and also the present invention relates to the bleaching compositions for the bleaching methods.

BACKGROUND ART

Recent year, there have been increasing demand for esthetic improvements of teeth such as improvements of contours, alignment and integrity of teeth in dental therapy. In particular, there have been more cases of young women desiring such dental therapy so as to whitening teeth as an important element of beauty. Generally, the cause of dental discoloration and pigmentation or stain falls into the two categories: (1) extrinsic causes such as sedimentation of colored materials (tobacco, tea, etc.), pigment generating bacteria,

discoloration of filling materials (primarily composite resins) and metal salts (primarily amalgam, silver nitrite, and ammonia silver); and (2) intrinsic causes such as aging, chemicals or medicine (ex. fluorine and tetracyclines), dysmmetabolism and hereditary, and dental injuries. The National Health Insurance is applicable to bleaching methods for, the latter, discolored teeth intrinsically.

Several methods have been proposed as methods for esthetic improvement of discolored teeth, among which bleaching may be considered as a highly effective method for the preservation of dentine if a suitable method for each decease case would be selected and carried out properly, although there may be some cases of color reversion. Bleaching is basically a method for decolorizing colored materials through a chemical reaction. In the past, there were various reports of bleaching agents comprising a variety of chemicals based on vital bleaching and non-vital bleaching as well as bleaching methods using such agents.

The following are typical examples:

- (1) Bleaching method using 30% H_2O_2 as a chemical combining light and heat in parallel.

This is a method in which strips of gauze soaked in 30% H_2O_2 are placed on the front surfaces of teeth and are irradiated for 30 minutes from the left and right by using two 500W photographic lamps. In this method, the lamps are set as close to the gauze as possible and the H_2O_2 should be replenished about every 5 minutes so as to prevent them from drying.

- (2) Bleaching method using 30% H_2O_2 as a chemical combining high frequency current in parallel.

This is a method in which strips of gauze soaked in 30% H_2O_2 are placed on the front surface of teeth and high frequency current is delivered for one second with a spoon-shaped tip of a frequency scalpel and is not delivered for 8 second. The operation should be repeated 6 to 8 times and H_2O_2 should be replenished to keep them wet during the treatment.

- (3) Bleaching method using a paste comprising Aerosol (fine silica powder) mixed with 35% H_2O_2 and the paste is applied.

This is a method in which the paste is applied onto the surfaces of the etched teeth, 15 minutes later the teeth are rinsed with water and then polished. The method gives a highly bleaching result without using light or heat as Aerosol serves as a moisturizing material to prevent the bleaching agent from drying out and also enhances the bleaching effects. The 35% H_2O_2 should be handled with care due to its highly corrosive property.

- (4) Bleaching method using a paste (Shofu Hi-Lite : tradename), obtained by kneading a 35% H_2O_2 solution and a powder comprising potassium sulfate, manganese sulfate, silicon dioxide or the like, as a chemical.

This is a method in which the paste is placed on the front surfaces of teeth and worked for 10 minutes or irradiated it with light for 3 minutes by applying a visible light ray radiation device.

An advantage of the method is as follows: The paste shows a light green immediately after the kneading and then turn yellow by the light irradiation. If the paste turns dark-brown immediately after the kneading, this indicates that the bleaching effects of the liquid have diminished. However there is the same disadvantage mentioned the above due to the use of 35% H_2O_2 .

- (5) Bleaching method using a mixture of 1 ml of 30% HCl, 1 ml of 30% H_2O_2 , and 0.2ml of diethyl ether as chemical (Improved Machines bleaching).

In this method, the mixture is allowed to act for 5 minutes on tooth surfaces, and then the teeth are polished for 15 minutes under light pressure using a polishing disc. The treatment is repeated 3 times, then they are neutralized with 5.25% NaOCl and the teeth are thoroughly rinsed with water (Oral Surg., 26: 871-878(1968), J. Am. Dent. Assoc., 87: 1329(1973)). In this method, since the paste may scatter into the patient's eyes, it is necessary to protect them from it adequately.

- (6) Bleaching method using a paste obtained from kneading 30% H_2O_2 and a sodium perborate powder (Walking bleach method).

In this method, to dilate the dentinal canaliculus and enhance the bleaching effects, the walls in the pulp cavity are treated with phosphoric acid for 1 minute, rinsed with water and dried. Then the paste is introduced into the pulp cavity and temporarily sealed with cement. Although this method is currently, widely applied for clinical purposes to which the National Health Insurance is

applicable as a simple and highly effective method. Its disadvantage is the same as that mentioned in (3).

There have been other many bleaching methods reported as follows: The dental bleaching method using the bleaching agent comprising a mixture of aqueous hydrogen peroxide and ortho-phosphoric acid (Japanese Patent Application Laid-Open No. H8-143436/1996). The bleaching agent obtained from mixing silicic acid anhydride with aqueous hydrogen peroxide and the vital bleaching method using the bleaching agent (Japanese Patent Application Laid-Open No. H5-320033/1993). Further, the dental bleaching compositions comprising a dental bleaching agent (hydrogen-urea peroxide, hydrogen peroxide-carbamide, carbamide peroxide, and the like) and a matrix such as carboxymethylen, and a bleaching method using such a dental bleaching agent (Japanese Patent Application Laid-Open No. H8-113520/1996).

On the other hand, bleaching methods and bleaching agents for dental bleaching require the following conditions:

- (a) pronounced bleaching results,
- (b) none toxicity of bleaching agents
- (c) easy operations,
- (d) no detracton to dental physical properties after bleaching,
- (e) efficacious for vital tooth bleaching as well as non-vital tooth bleaching,
- (f) speedy bleaching results, and so on.

A bleaching method fulfilling the above conditions would be

capable of affording aesthetic improvement while keeping dental contour with remarkably improved results. However, in conventional bleaching agents or methods, the primary bleaching agent is 30% to 35% aqueous hydrogen peroxide, which is highly corrosive and its oxidative property is the base for bleaching teeth. Anyhow, all of various bleaching methods carried out currently in Japan should be the combination of 30% to 35% aqueous hydrogen peroxide, various utensils and other chemicals. A bleaching method carried out in U. S. A. has been the use of 10% urea peroxide in lieu of 30% to 35% aqueous hydrogen peroxide, however, this method has been litigated over the problems in terms of efficacy and safety, and has not obtained the governmental approval in Japan.

Taking the aforementioned status of the bleaching methods into the consideration, the inventors of the present invention have found that, without using highly toxic 30% to 35% aqueous hydrogen peroxide, the intended objectives were achieved by the combined use of titanium dioxide having photocatalytic action and low concentration aqueous solution of hydrogen peroxide as efficacious constituents. The bleaching method using the combination shows safer and simpler, and also is remarkably efficacious to vital tooth as well as non-vital tooth (Japanese Patent Application Laid-Open No. H11-92351/1999).

DISCLOSURE OF THE INVENTION

However, the aforementioned methods have the following disadvantages: it is very difficult to apply the surfaces of teeth with

enough amounts of bleaching agent, that causes to unsatisfied bleaching results. Therefore, it is necessary to prepare a paste type of a bleaching agent by increasing the content of titanium dioxide so as to make the application easier. The increased content of it interferes the photocatalytic action because titanium dioxide is non-transparent against irradiation light.

It is the objectives of the present invention to provide the bleaching compositions and also the bleaching methods. The compositions and methods overcome the problems mentioned above, are easily applied on discolored teeth in practice, thereby obtain sufficient bleaching results without any deterioration of the photocatalytic activity, and have superior safety.

So as to solve the above problems, the present invention is composed of the following technical means:

- (1) Tooth bleaching composition characterized by containing titanium dioxide initiating a photocatalytic action by irradiation of light, a chemical compound generating hydrogen peroxide in an aqueous solution and a thickening agent,
- (2) Tooth bleaching composition according to above (1) wherein titanium dioxide is anatase-type, rutile-type or brookite-type,
- (3) Tooth bleaching composition according to above (1) or (2), wherein the chemical compound is selected from the group consisting of hydrogen peroxide, perborate, percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide and urea peroxide,

- TOOTH BLEACHING COMPOSITION
- (4) Tooth bleaching composition according to any one of above (1) to (3), wherein the thickening agent is layer-structure clay minerals, phosphoric acid or phosphate,
 - (5) Tooth bleaching composition according to above (4), wherein the thickening agent is an inorganic clay mineral selected from the group consisting of saponite, montmorillonite, stevensite, hectonite, smecnite, nacrite and sepiolite,
 - (6) Tooth bleaching composition according to above (4), wherein phosphate is tetra-sodium pyrophosphate,
 - (7) Tooth bleaching composition according to any one of above (1) to (6), wherein the content of the chemical compound generating hydrogen peroxide in an aqueous solution is 35 % by weight or less.
 - (8) Methods for bleaching discolored teeth by applying the tooth bleaching composition onto the surfaces of the discolored teeth and then irradiating the applied surface area with light, and
 - (9) Methods according to above (8), wherein the wavelength of the irradiating light is 300 nm or longer.

PREFERRED EMBODIMENT OF THE INVENTION

So as to achieve the objectives mentioned above, the present invention utilizes titanium dioxide initiating photocatalytic action by light irradiation and tooth bleaching compositions containing a thickening agent, thereby remarkable results of discolored teeth bleaching as well as improved application ability during treatment are brought in. In the present invention, it is defined that the term of

discoloration has broad meanings including pigmentation and stain.

In preferred embodiments, the tooth bleaching compositions of the present invention are composed of solution or paste comprising titanium dioxide, a chemical compound generating hydrogen peroxide in aqueous solution and a thickening agent. Although any types of titanium dioxide, without regard to its form or property, is possible to use for the invention only if it initiates the photocatalytic action, the anatase-type, the rutile-type and the brookite-type are preferred. Further, the titanium oxide improved its affinity to a tooth surface by coating the surface of the titanium dioxide with calcium phosphate is probable to use. Furthermore, the titanium dioxide of which photocatalytic activity is improved by depositing platinum on it or the titanium dioxide treated by plasma and the like which initiate the photocatalytic action by visible light is probable to use. Titanium dioxides of powder-type or sol-type obtained from dispersing it into a medium such as water can be employed too. The titanium dioxide of the particle diameter 1 to 500 nm is suitable for the use, further the particle diameter 5 to 200 nm is preferable to it. A small amount of the titanium dioxide content effects reasonably, however, a very small amount of the titanium dioxide content takes longer time so as to obtain reasonable results which depends on the intensity of tooth discoloration. On the other hand, too high content of it inversely causes lowering the bleaching effects due to titanium dioxide's low light penetration. Therefore, the preferred content of titanium dioxide in the bleaching compositions is 0.001 to 10 % by weight. The content

of 0.01 to 1 % by weight is more preferable, and the content of 0.01 to 0.1 % by weight is further more preferable.

Any chemical compound, if it generates hydrogen peroxide by making its aqueous solution, is to be used for the present invention. The chemical compounds generating hydrogen peroxide in a aqueous solution suitable for the present invention is, for example, hydrogen peroxide, perborate, percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide, urea peroxide, and the like. Hydrogen peroxide is preferable. The very small amount of the chemical compounds generating hydrogen peroxide mentioned above are able to show remarkable bleaching results by comparing with conventional bleaching compounds. Therefore, the content of the chemical compound in the bleaching compositions is preferably 35% by weight or less, more preferably 10% by weight or less and further more preferably 5 to 10 % by weight. If the content is higher than the maximum range, there is no much difference in the bleaching results but it has disadvantage in view of safety.

Aqueous type of the thickening agents is preferred for the thickening agents being used for the present invention. Aqueous organic polymer, aqueous emulsion, clay minerals, phosphate and, the like are the examples of the aqueous type of the thickening agents. In case of the aqueous type of the thickening agent comprising an organic compound as its main constituent, active oxygen generated by photocatalyst action of titanium dioxide is not only used for the tooth bleaching but also consumed for the reaction with the thickening

agents. Therefore, it is preferred to use clay minerals and inorganic compounds such as phosphoric acid, phosphate and so on in the present invention. It is furthermore preferred to use layer-structure inorganic clay minerals, phosphoric acid or phosphate.

Inorganic clay minerals are generally, roughly classified into a fibrous structure type (ex. sepiolite, attapulgite, etc), a non-crystal structure type (ex. allophane, etc), mixed layer structure type (ex. kaolinite, montmorillonite, etc) and the above layer-structure type. Layer-structure inorganic clay minerals take water molecules into a unit space between the layers, and then swelled. By utilizing this property, the hydrogen peroxide in the bleaching agents is to be held as adhered onto the surfaces of the teeth. In the present invention, the layer-structure inorganic clay minerals, which swell in the presence of water, are preferable to use.

Although inorganic clay minerals of fibrous structure type and non-crystal structure type are possible to be swelled by adding water and then mixing with a high speed mixer, the layer-structure clay minerals have a merit because of no such machine required.

The following are examples of inorganic clay minerals, but not limited to: dickite, nacrite, kaolinite, anorthite, halloysite, metahalloysite, chrysotile, lizardite, serpentine, antigorite, beidellite, montmorillonite, sauconite, stevensite, nontronite, saponite, hectorite, vermiculite, smectite, sepiolite, nacrite, illite, sericite, glauconite-montmorillonite, roselite-montmorillonite, chlorite-vermiculite, illite-montmorillonite, halloysite-montmorillonite,

kaolinite-montmorillonite.

Among the above inorganic clay minerals, montmorillonite, sauconite, smectite, stevensite, beidellite, nontronite, saponite, hectorite, vermiculite, nacrite, and sepiolite are particularly preferable for the present invention. These inorganic clay minerals to use are natural products and synthesized products, and also the mixtures of the two or more the minerals.

Further, these inorganic clay minerals show a good thickening effect and thixotropic property in comparison with other aqueous thickening agents. Therefore, they show a little sagging and also they are very easy to be rinsed out by water in comparison with organic thickening agents.

The thickening agents of phosphoric acids to be used for the present invention are illustrated as follows: orthophosphoric acid, hypophosphoric acid, diphosphoric acid, metaphosphoric acid, and the like. Further, as phosphates, potassium phosphate, sodium phosphate, and the like are illustrated. In particular, tetra-sodium pyrophosphate is preferable.

The tooth bleaching compositions of the present invention are characterized by mixing the three constituents mentioned above and using, thereby being possible to use as a gel type or a paste type having sufficiently high viscosity. The viscosity of the bleaching compositions are, in view point of little sagging from the patient teeth and also keeping reasonable amount of the bleaching constituent on the teeth, preferably a range of 1,000 to 100,000 centipoise, more

preferably a range of 5,000 to 50,000 centipoise. The viscosity of the range causes no sagging of the bleaching compositions applied to the tooth surface being the angle of 45 degrees to horizontal level. It is not possible to decide the amount of necessary thickening agents sweepingly since it depends on a variety of the thickening agents being used, however, generally a range of 1 to 5% by weight in the bleaching agents gives sufficient results.

The bleaching compositions of the present invention are to be used as homogeneous sol or paste prepared by combining, kneading and dispersing titanium dioxide, the chemical compound generating hydrogen peroxide in a aqueous solution and the thickening agent into water. The blending methods are not limited to, therefore any compositions obtained by any methods of blending the three constituents above are covered by the present invention. In this case, the preparation means and devices of the bleaching compositions such as combining, kneading, dispersing or so on, and applying the bleaching compounds to teeth are not limited, therefore, it is possible to select and use suitable means, devices and/or the like. Further, according to circumstances, it is possible that two of the three constituents above are combined, kneaded and dispersed in advance, and then the rest is combined, kneaded and dispersed immediately before the use.

The bleaching compositions of the present invention prevent the hydrogen peroxide from its decomposition by holding at storage temperature not exceeding 10°C. The storage temperature of the

bleaching compositions is preferably not exceeding 10 °C , more preferably not exceeding 5°C. In the viewpoint of handling, it is not preferable to hold them below the freezing temperatures that causes to frozen. Further, it is preferable to store them with a shield from the light.

A method of applying the bleaching compositions on tooth surfaces is illustrated as suitable that the bleaching compositions are applied directly to the surfaces. The bleaching of discolored teeth is proceeded that the bleaching composition is applied to the tooth surfaces and then the applied area is irradiated by light once, preferably repeated plural times. The light to be used is to contain a suitable wavelength absorbed by titanium dioxide, then initiating photocatalytic action and also preferably has rarely adverse affect to human body. Such a wavelength is a light contained wavelength of 300nm or longer, preferably 350nm or longer, more preferably 400nm or longer. The light source examples to be used for the light of the present invention are the following: An incandescent lamp, a fluorescent lamp, a halogen light bulb, a black light, a metalhalide lamp, a xenon lamp, a mercury lamp, a UV lamp, a LED (Light Emitting Diode) lamp, a semiconductor laser, and the like. The light of these light sources from which unnecessary wavelengths are cut out by using a proper filter is guided and irradiated to the tooth surfaces on which the bleaching composition is applied. These applications and irradiation are repeated optionally corresponding to the intensity of the tooth discoloration. In case of applying operation such as applying

the bleaching composition to the tooth surfaces, it would be done that the new composition is applied every about 15 to 20 minutes and the interval and frequency are properly decided corresponding to the condition of the teeth. The bleaching compositions of the present invention are effective to bleach a vital tooth as well as a non-vital tooth and show remarkable effects so as to bleach it safely and simply.

The main action of the bleaching compositions of the present invention is the bleaching action initiated by multiplicative effects of the titanium dioxide photocatalyst, low concentration of hydrogen peroxide and the thickening agent. That is, titanium oxide generates electrons and positive holes by the light irradiation, then it initiates a chemical reaction with hydrogen peroxide to generate active oxygen. The active oxygen shows significantly stronger oxidative force compared with ozone, therefore, it is able to decompose almost all of organic compounds to carbon dioxide. Further, the bleaching composition applied to tooth surfaces is kept without sagging and enough amounts for bleaching the discolored teeth can be supplied, accordingly the handling as well as the safety is much improved.

The present invention relates to the bleaching compositions bleaching discolored teeth by applying these on the tooth surfaces and then bleaching it based on the photocatalytic action initiated by light irradiation to the applied area. The bleaching composition is characterized by combining titanium dioxide initiating the photocatalyst action with the light irradiation, the chemical compound generating hydrogen peroxide in a aqueous solution and the

thickening agent. The following results are shown, therefore the contribution to esthetic improvement of the teeth by the present invention is significant:

- (1) Considerable improvements of bleaching treatment due to easy application of the bleaching composition on the tooth surfaces,
- (2) It is highly safe due to controlled scattering and/or attaching to the mucous membrane of the solution, and also due to the remarkable bleaching effects through the solution of the low hydrogen peroxide concentration,
- (3) Greatly shortened the bleaching time,
- (4) Remarkable bleaching results, and the like.

The present invention is explained by the following examples, however, the present invention is not limited by the examples.

Examples 1 to 14 and Comparable Example:

- (1) Preparation of the bleaching compositions

Titanium dioxide, a thickening agent, a chemical compound generating hydrogen peroxide in an aqueous solution and distilled water are mixed so as to obtain the bleaching compositions, which are composed of the constituents shown in Table 1, wherein the concentration of the hydrogen peroxide in the bleaching compositions measured by the permanganate titration.

- (2) Bleaching the discolored tooth

By using the bleaching compositions obtained above (1), bleaching treatments have done followed the process below:

- 1) As preliminary arrangements, the plaque, the tartar, the tar and the like are removed from the discolored tooth surface by a using ultrasonic waves scaler.
- 2) The tooth surface was cleaned by using rubber-cup and etc., and a conventional method and dried.
- 3) A plain moisture-proofing method is carried out.
- 4) A bleaching composition prepared above (1) was applied on the tooth surface and followed by irradiation of ultraviolet rays having the wavelength of 350 nm and over.
- 5) An irradiation time is 5 minutes and the application of the new bleaching composition and irradiation are repeated every time.

The results are shown in Table 2, wherein the discoloration intensities of the used teeth (extracted) are classified as follows;

F1 : entire crown uniformly colored light yellow, brown and gray with no striations.

F2 : entire crown uniformly colored a deeper shade than F1, with no striations.

F3 : deep gray and bluish gray with striations.

F4 : entire crown discolored to extremely deep purple and grayish purple

TABLE 1

	Titanium Dioxide				Thickening Agent		Oxidative Chemical	
	Trade Name	Crystal type	Particle Diameter (nm)	Content (wt%)	Type	Content (wt%)	Type	Content (wt%)
Example 1	TAYCA AMT-100	Anatase	6	0.060	Hectorite	1.8	H ₂ O ₂	5.8
Example 2	TAYCA JA-1	Anatase	180	0.048	Hectorite	1.8	H ₂ O ₂	5.8
Example 3	TAYCA JA-1	Anatase	180	0.060	Hectorite	1.8	Sodium perborate	5.8
Example 4	TAYCA JA-1	Anatase	180	0.069	Hectorite	1.8	Sodium perborate	5.8
Example 5	Ishihara Techno TTO-55	Rutile	35	0.060	Hectorite	1.8	H ₂ O ₂	5.8
Example 6	TAYCA TKS-201	Anatase	5	0.060	Hectorite	1.8	H ₂ O ₂	5.8
Example 7	TAYCA MT-150A	Rutile	15	0.060	Hectorite	1.8	H ₂ O ₂	5.8
Example 8	TAYCA MT-150A	Rutile	15	0.030	Hectorite	2.2	H ₂ O ₂	3.2
Example 9	TAYCA AMT-600	Anatase	35	0.100	Sepiolite	2.0	H ₂ O ₂	5.5
Example 10	Shouwa Titanium F6	Anatase	17	0.500	Montmotillonite	1.6	H ₂ O ₂	7.0
Example 11	TAYCA AMT-600	Anatase	6	0.010	Nacrite	1.0	H ₂ O ₂	10
Example 12	TAYCA AMT-150A	Rutile	15	0.100	Saponite	3.5	H ₂ O ₂	15
Example 13	TAYCA AMT-600	Anatase	35	0.060	Phosphoric acid	1.0	H ₂ O ₂	6.0
Example 14	TAYCA AMT-150A	Rutile	15	0.060	Tetra-sodium pyrophosphate	1.5	H ₂ O ₂	5.8
Comparative Example	TAYCA AMT-100	Anatase	6	0.060	—	—	H ₂ O ₂	5.8

TABLE 2

	The intensity of Initial discoloration	Wavelength (nm)	Treatment time (min)	The intensity of discoloration after treatment
Example 1	F3.0	385	30	F1.5
Example 2	F3.5	385	30	F3.0
Example 3	F3.5	385	30	F2.5
Example 4	F3.5	385	30	F3.0
Example 5	F3.5	385	30	F1.5
Example 6	F3.5	385	10	F1.5
Example 7	F3.5	385	10	F1.5
Example 8	F3.5	300	20	F2.0
Example 9	F3.5	350	60	F2.0
Example 10	F3.5	365	60	F3.0
Example 11	F3.5	400	60	F3.0
Example 12	F3.5	385	40	F3.0
Example 13	F3.0	385	15	F2.0
Example 14	F3.0	385	15	F1.5
Comparative Example	F3.5	385	120	F3.0

INDUSTRIAL APPLICABILITY

The present invention relates to the method for bleaching discolored teeth by applying a bleaching composition, which comprises the specified constituents having photocatalytic activity, onto the discolored teeth and then irradiating the applied area with light, and also the present invention relates to tooth bleaching compositions useful for the bleaching method.

CLAIMS

1. A tooth bleaching composition comprising titanium dioxide initiating photocatalytic action with light irradiation, a chemical compound generating hydrogen peroxide in an aqueous solution and a thickening agent.
2. The tooth bleaching composition according to claim 1, wherein titanium dioxide is anatase type, rutile type or brookite type.
3. The tooth bleaching composition according to claim 1 or 2, wherein the chemical compound generating hydrogen peroxide in a aqueous solution is selected from the group consisting of hydrogen peroxide, perborate, percarbonate, persulfate, perphosphate, calcium peroxide, magnesium peroxide and urea peroxide,
4. The tooth bleaching composition according to claim 3, wherein the chemical compound generating hydrogen peroxide in an aqueous solution is hydrogen peroxide.
5. The tooth bleaching composition according to any one of claims 1 to 4, wherein the thickening agent is selected from the group consisting of the layer-structure clay mineral, phosphoric acid and phosphate.
6. The tooth bleaching composition according to any one of claims

1 to 4, wherein the thickening agent is an inorganic clay mineral selected from the group consisted of saponite, montmorillonite, stevensite, hectorite, smecnite, nacrite and sepiolite.

7. The tooth bleaching composition according to claim 5, wherein the phosphate is tetra-sodium pyrophosphate.

8. The tooth bleaching composition according to any one of claims 1 to 7, wherein the content of the chemical compound generating hydrogen peroxide in an aqueous solution is 35 % by weight or less.

9. A method for bleaching a discolored tooth comprising applying the bleaching compound described in any one of claims 1 to 8 onto the surface of a discolored tooth and irradiating the applied surface area with light.

10. The method according to claim 9, wherein the wavelength of the irradiating light is 300 nm or longer.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I/we hereby declare that:

My/Our residence, post office address and citizenship are as stated below next to my/our name, I/we believe that I/we are the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

TOOTH BLEACHING COMPOSITIONS AND METHODS FOR BLEACHING DISCOLORED TOOTH

the specification of which (check one)

☐

is attached hereto.

☒

was filed on July 3, 2000

as Application Serial No. PCT/JP00/04397

and was amended on _____

(if applicable)

I/We hereby state that I/we have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I/We acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I/We hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

<u>188858/1999</u> (Number)	<u>JAPAN</u> (Country)	<u>02/07/1999</u> (Day/Month/Year Filed)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

I/We hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I/we acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)

(Continued on Page 2)

I hereby appoint as principal attorneys; Donald R. Antonelli, Reg. No. 20,296; David T. Terry, Reg. No. 20,178; Melvin Kraus, Reg. No. 22,466; Stanley A. Wal, Reg. No. 26,432; William I. Solomon, Reg. No. 28,565; Gregory E. Montone, Reg. No. 28,141; Ronald J. Shore, Reg. No. 28,577; Donald E. Stout, Reg. No. 26,422; Alan E. Schiavelli, Reg. No. 32,087; James N. Dresser, Reg. No. 22,973 and Carl I. Brundidge, Reg. No. 29,621 to prosecute and transact all business connected with this application and any related United States application and international applications. Please direct all communications to the following address:

Antonelli, Terry, Stout & Kraus
Suite 1800
1300 North Seventeenth Street
Arlington, Virginia 22209
Telephone: (703) 312-6600
Fax: (703) 312-6666

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United State Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(Full Name)

(Signature)

1-00 Date November 28, 2001 Inventor Takuro ISHIBASHI Takuro Ishibashi
Residence Nagasaki, Japan JPX Citizenship Japan

Post Office Address 157-7, Oaza Koura, Izuhara-machi, Shimoagata-gun, Nagasaki, Japan

2-00 Date November 30, 2001 Inventor Emi HIGASHIIZUMI Emi Higashiizumi
Residence Ibaraki, Japan JPX Citizenship Japan
c/o Mitsubishi Gas Chemical Company, Inc. Corporate Research Laboratory

Post Office Address 22 Wadai, Tsukuba-shi, Ibaraki, Japan

3-00 Date November 30, 2001 Inventor Ryuji SOTOAKA Ryuji Sotoaka
Residence Ibaraki, Japan JPX Citizenship Japan
c/o Mitsubishi Gas Chemical Company, Inc. Corporate Research Laboratory

Post Office Address 22 Wadai, Tsukuba-shi, Ibaraki, Japan

4-00 Date November 30, 2001 Inventor Fukusaburo ISHIHARA Fukusaburo Ishihara
Residence Ibaraki, Japan JPX Citizenship Japan
c/o Mitsubishi Gas Chemical Company, Inc. Corporate Research Laboratory

Post Office Address 22 Wadai, Tsukuba-shi, Ibaraki, Japan

5-00 Date November 30, 2001 Inventor Minoru KAKUDA Minoru Kakuda
Residence Ibaraki, Japan JPX Citizenship Japan
c/o Mitsubishi Gas Chemical Company, Inc. Corporate Research Laboratory

Post Office Address 22 Wadai, Tsukuba-shi, Ibaraki, Japan

6-00 Date November 30, 2001 Inventor Masumi OGASAWARA Masumi Ogasawara
Residence Ibaraki, Japan JPX Citizenship Japan
c/o Mitsubishi Gas Chemical Company, Inc. Corporate Research Laboratory

Post Office Address 22 Wadai, Tsukuba-shi, Ibaraki, Japan

7-00 Date November 28, 2001 Inventor Kouzo ISHIBASHI Kouzo Ishibashi
Residence Nagasaki, Japan JPX Citizenship Japan

Post Office Address 157-7, Oaza Koura, Izuhara-machi, Shimoagata-gun, Nagasaki, Japan

Date _____ Inventor _____

Residence _____ Citizenship _____

Post Office Address _____

Date _____ Inventor _____

Residence _____ Citizenship _____

Post Office Address _____

Date _____ Inventor _____

Residence _____ Citizenship _____

Post Office Address _____



10/019408

#2

CHANGE OF CORRESPONDENCE ADDRESS Application

Address to:
 Assistant Commissioner for Patents
 Washington, D.C. 20231

Application Number

JC13 Rev'd PCT/PTO

28 DEC 2001

Filing Date

December 28, 2001

First Named Inventor

ISHIBASHI, et al.

Group Art Unit

Examiner Name

Attorney Docket Number

396.40960X00

Please change the Correspondence Address for the above-identified application to:



Customer Number

020457

Type Customer Number here



020457

PATENT TRADEMARK OFFICE

OR

☐ Firm or Individual Name

Address

Address

City

State

ZIP

Country

Telephone

Fax

This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

I am the :



Applicant.



Assignee of record of the entire interest.
 Certificate under 37 CFR 3.73(b) is enclosed.



Attorney or agent of record.

Typed or Printed Name

William I. Solomon

Registration NO.

28,565

Signature

Date

December 28, 2001

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.